Appl. No. 10/087,713
Reply to Office action of Oct. 4, 2004

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

(currently amended) A method for conducting mobile communications, comprising:
 providing a server for a plurality of users, the server coupled to a corporate
 information system (CIS) in an organization via a first network;

providing a plurality of speech terminals <u>for a plurality of users, the speech terminals</u> coupled to the server through a second network, <u>and</u> the speech terminals accessing data in the CIS through voice or digital signals; and

distributing calls to the speech terminals using an electronic attendant coupled to the server through the computer <u>first</u> network:

wherein the electronic attendant comprises a public attendant or a corporate attendant.

- 2. (original) The method of claim 1 wherein the voice signals are recognized through speech recognition technology.
 - 3. (original) The method of claim 1 wherein the server is a modular appliance.
- 4. (original) The method of claim 1 wherein the second network comprises a public communications network and/or a private communications network.
- 5. (original) The method of claim 4 further comprising distributing incoming calls from the public communications network to the private communications network.
- 6. (original) The method of claim 4 further comprising distributing outgoing calls from the private communications network to the public communications network.
- 7. (original) The method of claim 4 further comprising distributing incoming and outgoing calls to the private communications network.

- 8. (original) The method of claim 4 further comprising distributing incoming and outgoing calls to the public communications network.
- 9. (original) The method of claim 1 wherein the electronic attendant is comprised of a public attendant and a corporate attendant.
- 10. (original) The method of claim 9 wherein the public attendant distributes calls from speech terminals external to the organization.
- 11. (original) The method of claim 9 wherein the corporate attendant distributes calls from speech terminals internal to the organization.
 - 12. (original) The method of claim 1 wherein the speech terminals are attended devices.
- 13. (original) The method of claim 1 wherein the speech terminals are unattended devices.
- 14. (original) The method of claim 1 further comprising accessing one or more parties through a speech terminal using the e-mail address, phone number, or any other form of identification for the one or more parties stored in the CIS.
- 15. (original) The method of claim 1 wherein user authentication is required to access data in the CIS.
- 16. (original) The method of claim 15 wherein the authentication comprises entering a code into a speech terminal.
- 17. (original) The method of claim 15 wherein the authentication comprises a matching voice characteristic.
- 18. (original) The method of claim 1 further comprising dynamically associating a user with a speech terminal using data stored in the CIS.
- 19. (original) The method of claim 18 further comprising storing the association between the user and the speech terminal as a user profile, the CIS accessing the user profile every time the user logs on to the mobile communication system using the speech terminal.

- 20. (original) The method of claim 1 further comprising updating the data in the CIS using a speech terminal by a user or other users registered in the CIS.
 - 21. (original) The method of claim 1 wherein the data includes contact information.
 - 22. (original) The method of claim 1 wherein the data includes e-mail messages.
 - 23. (original) The method of claim 1 wherein the data includes address information.
 - 24. (original) The method of claim 1 wherein the data includes calendar and task lists.
 - 25. (original) The method of claim 1 wherein the data includes directory lists.
- 26. (original) The method of claim 1 wherein the data includes sales force automation information.
 - 27. (original) The method of claim 1 wherein the data includes field force automation.
- 28. (original) The method of claim 1 wherein the data includes information related to an organization's employees.
- 29. (original) The method of claim 28 wherein the data includes information from data repositories internal to the organization.
- 30. (original) The method of claim 28 wherein the data includes information from data repositories external to the organization.
- 31. (original) The method of claim 1 wherein the data includes information from databases and web sites on the Internet.
- 32. (original) The method of claim 1 further comprising commanding the server to perform tasks using a speech terminal.
- 33. (original) The method of claim 32 wherein the tasks include sending and receiving messages.
 - 34. (original) The method of claim 33 wherein the messages are e-mail messages.

- 35. (original) The method of claim 32 wherein the tasks include forwarding calls.
- 36. (currently amended) The method of claim 32 wherein the tasks task include conferencing with other parties using the speech terminals.
- 37. (original) The method of claim 1 further comprising providing a set of responses to a speech terminal, the set of responses dynamically changing depending on the speech terminal.
- 38. (original) The method of claim 37 wherein the set of the responses to the speech terminal includes a recorded message.
- 39. (original) The method of claim 37 wherein the set of responses to the speech terminal is an on-the-fly translation of responses into sounds using text-to-speech technology.
- 40. (original) The method of claim 1 wherein the speech terminals includes multi-modal interfaces.
- 41. (original) The method of claim 40 wherein a user can input information to the server through the multi-modal interfaces using text, keystrokes, and speech recognition.
- 42. (original) The method of claim 40 wherein the multi-modal interfaces present information to the server using a combination of sound, text, graphics, and video.
- 43. (original) The method of claim 42 wherein the sound is generated by text-to-speech technology.
- 44. (original) The method of claim 42 wherein the sound is generated by playing recorded files.
- 45. (original) The method of claim 42 wherein the sound is generated by a continuous stream of sound data sent to the multi-modal interfaces.
- 46. (original) The method of claim 42 wherein the video is generated by a continuous stream of video data sent to the multi-modal interfaces.
 - 47. (original) The method of claim 1 wherein the speech terminals include telephones.

Page 5 of 11

- 48. (original) The method of claim 1 wherein the speech terminals include personal digital assistants.
 - 49. (original) The method of claim 1 wherein the speech terminals include computers.
 - 50. (original) The method of claim 1 wherein the network is the Internet.
- 51. (new) A method for conducting mobile communications, comprising:

 providing a server for a plurality of users, the server coupled to a corporate
 information system (CIS) in an organization via a first network;

providing a plurality of speech terminals for a plurality of users, the speech terminals coupled to the server through a second network, the speech terminals accessing data in the CIS through voice or digital signals;

distributing calls to the speech terminals using an electronic attendant coupled to the server through the first network; and

accessing a user profile every time a user logs onto the mobile communication system using a speech terminal.

- 52. (new) The method of claim 51 further comprising dynamically associating a user with a speech terminal using data stored in the CIS.
- 53. (new) The method of claim 51, wherein the user profile stores an association between the user and a speech terminal.
 - 54. (new) The method of claim 51, wherein the user profile stores a password.
 - 55. (new) The method of claim 51, wherein the user profile stores a PIN-code,
 - 56. (new) The method of claim 51, wherein the user profile stores a user preference.
- 57. (new) The method of claim 51, wherein the user profile stores an alternate login name.
- 58. (new) The method of claim 51, further comprising updating the data in the CIS using a speech terminal by a user or other users registered in the CIS.

- 59. (new) The method of claim 51, wherein the data includes contact information, e-mail messages, address information, and calendar.
- 60. (new) The method of claim 51, wherein the data includes information related to an organization's employees.
- 61. (new) The method of claim 51, wherein the CIS accesses the user profile when the user logs on to the mobile communications system using a speech terminal.
- 62. (new) A method for conducting mobile communications, comprising:

 providing a server for a plurality of users, the server coupled to a corporate information system (CIS) in an organization via a first network;

providing a plurality of speech terminals for a plurality of users, the speech terminals coupled to the server through a second network, the speech terminals accessing data in the CIS through voice or digital signals;

distributing calls to the speech terminals using an electronic attendant coupled to the server through the first network; and

providing a set of speech responses to a speech terminal.

- 63. (new) The method of claim 62, wherein the set of responses dynamically change depending on the speech terminal.
- 65. (new) The method of claim 62, wherein the set of the responses to the speech terminal includes a recorded message.
- 65. (new) The method of claim 62, wherein the set of responses to the speech terminal is an on-the-fly translation of responses into sounds using text-to-speech technology.
- 66. (new) A method for conducting mobile communications, comprising:

 providing a server for a plurality of users, the server coupled to a corporate information system (CIS) in an organization via a first network;

providing a plurality of speech terminals for a plurality of users, the speech terminals coupled to the server through a second network, the speech terminals accessing data in the CIS through voice or digital signals; and

distributing calls to the speech terminals using an electronic attendant coupled to the server through the first network;

wherein the speech terminals include multi-modal interfaces.

- 67. (new) The method of claim 66, wherein the multi-modal interfaces use at least two different forms of input from among text, keystrokes, or speech recognition.
- 68. (new) The method of claim 66, wherein the multi-modal interfaces present information to the user using a combination of at least two different forms of output, the different forms of output including sound, text, graphics, or video.
- 69. (new) The method of claim 68, wherein the sound is generated by text-to-speech technology.
- 70. (new) The method of claim 68, wherein the sound is generated by playing recorded files.
- 71. (new) The method of claim 68, wherein the sound is generated by a continuous stream of sound data sent to the multi-modal interfaces.
- 72. (new) The method of claim 68, wherein the video is generated by a continuous stream of video data sent to the multi-modal interfaces.
- 73. (new) A method for conducting mobile communications, comprising:

 providing a server for a plurality of users, the server coupled to a corporate information system (CIS) in an organization via a first network;

providing a plurality of speech terminals for a plurality of users, the speech terminals coupled to the server through a second network, and the speech terminals accessing data in the CIS through voice or digital signals;

distributing calls to the speech terminals using an electronic attendant coupled to the server through the first network; and

caching information from the CIS on the server.

- 74. (new) The method of claim 73, including recording messages in the server.
- 75. (new) The method of claim 74, including transferring the recorded messages to the CIS and storing the messages on the CIS.
 - 76. (new) The method of claim 73, including:

providing a plurality of servers coupled to the CIS; and

synchronizing user information among the plurality of servers using the CIS.

- 77. (new) The method of claim 73, wherein the server comprises a modular appliance.
- 78. (new) The method of claim 73, wherein the information cached from the CIS on the server comprises user information.
- 79. (new) The method of claim 73, wherein the information cached from the CIS on the server comprises contact information.
- 80. (new) The method of claim 73, wherein the information cached from the CIS on the server comprises address information.
- 81. (new) The method of claim 73, wherein the information cached from the CIS on the server comprises e-mails.
- 82. (new) The method of claim 73, wherein the information cached from the CIS on the server comprises information regarding parties that are defined as addressable parties.
- 83. (new) The method of claim 73, including accessing a user profile every time a user logs onto the mobile communication system using a speech terminal.
- 84. (new) The method of claim 83, including providing a set of speech responses to a speech terminal.

- 85. (new) The method of claim 73, including providing a set of speech responses to a speech terminal.
- 86. (new) A method for conducting mobile communications, comprising:

 providing a server for a plurality of users, the server coupled to a corporate information system (CIS) in an organization via a first network;

providing a plurality of speech terminals for a plurality of users, the speech terminals coupled to the server through a second network, and the speech terminals accessing data in the CIS through voice or digital signals;

connecting to the server from a speech terminal and configuring the server through the speech terminal and an electronic attendant;

installing a software component related to the server on the CIS and configuring the CIS to use the software component; and

distributing calls to the speech terminals using the electronic attendant coupled to the server through the first network.

- 87. (new) The method of claim 86, wherein configuring the CIS to use the software component includes storing configuration information specific to the server.
- 88. (new) The method of claim 86, wherein configuring the CIS to use the software component includes configuring accounts and changing permissions and storing configuration information specific to the server.
 - 89. (new) The method of claim 86, wherein the server comprises a modular appliance.
- 90. (new) The method of claim 86, including caching information from the CIS on the server.